

PASCOM: Invasive Procedures Report



The Society of
Chiropodists
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

Code	Name		
0	Nil intervention	10	0.0735%
1	AMPUTATION GREAT TOE	5	0.0368%
1.1	amputation great toe distal phalanx only also see 31.30 for nail	7	0.0515%
1.3	trans- first metatarsal amputation /excision	2	0.0147%
2	AMPUTATION LESSER TOE (unspec)	86	0.6322%
2.1	terminal end of toe distal phalanx or part of single toe	36	0.2646%
2.3	disarticulation to metatarsal head single toe whole toe amputation	72	0.5293%
2.31	disarticulation to metatarsal head two or more toes whole toe	2	0.0147%
2.41	amputation single lesser transmetatarsal or v ray section	4	0.0294%
2.42	amputation multiple lesser transmetatarsal or V ray section one foot	3	0.0221%
2.5	amputation forefoot at MCJ level single foot	2	0.0147%
2.51	amputation at MCJ level both feet	1	0.0074%
2.6	amputation midfoot though tarsus leaving calcaneus	1	0.0074%
3	BASAL OSTEOTOMY all BWO	31	0.2279%
3.11	BASAL OSTEOTOMY all BWO use 3	2	0.0147%
3.14	dorsiflexory osteotomy at base 1st metatarsal	6	0.0441%
3.2	crescentic cut at base of first metatarsal	1	0.0074%
4	ARTHRODESIS GREAT TOE (unspec)	42	0.3088%
4.1	ipj arthrodesis with or without tendon balance	40	0.2941%
4.2	first MTPJ arthrodesis single great toe	131	0.9630%
5	ARTHRODESIS LESSER TOE unspecified	214	1.5732%
5.1	DIPJ lesser toe fusion single toe	44	0.3235%
5.11	DIPJ lesser toe fusion multiple toes same foot	5	0.0368%
5.12	DIPJ lesser toe fusion multiple toes both feet	2	0.0147%
5.2	PIPJ lesser toe fusion single toe	346	2.5436%
5.21	PIPJ lesser toe fusion multiple toes same foot	68	0.4999%
5.22	PIPJ lesser toe fusion multiple toes both feet	4	0.0294%
5.3	combined PIPJ/DIPJ arthrodesis single toe	41	0.3014%
5.31	combined PIPJ/DIPJ arthrodesis multiple toes same foot	28	0.2058%
5.32	combined PIPJ/DIPJ arthrodesis multiple toes both feet	4	0.0294%
5.4	ARTHRODESIS MIDFOOT 1st MCJ (Lapidus) single only	203	1.4923%
5.401	arthrodesis midfoot 1st MCJ (Lapidus) both feet	4	0.0294%
5.41	arthrodesis involving metatarsal:cuneiform 1,2,3 single joint	29	0.2132%

Code	Name		
5.411	arthrodesis involving metatarsal:cuneiform 1,2,3 two or more joints	22	0.1617%
5.44	arthrodesis navicular-cuneiform fusion single foot	32	0.2352%
5.45	arthrodesis hindfoot talo-navicular fusion single foot	25	0.1838%
5.46	arthrodesis calcaneo-cuboid fusion single foot	5	0.0368%
5.47	arthrodesis subtalar joint single foot	11	0.0809%
5.48	arthrodesis triple STJ single foot	6	0.0441%
6	ARTHROPLASTY LESSER TOE (Unspec.)	174	1.2791%
6.1	arthroplasty excisional lesser toe single DIPJ	249	1.8305%
6.11	arthroplasty excisional lesser toe single DIPJ both feet	23	0.1691%
6.12	arthroplasty excisional lesser toe two or more DIPJ same foot	29	0.2132%
6.13	arthroplasty excisional lesser toe two or more DIPJ both feet	19	0.1397%
6.2	arthroplasty excisional lesser toe single PIPJ	888	6.5280%
6.21	arthroplasty excisional lesser toe single PIPJ both feet	34	0.2499%
6.22	arthroplasty excisional lesser toe two or more PIPJs same foot	162	1.1909%
6.23	arthroplasty excisional lesser toe two or more PIPJs both feet	23	0.1691%
6.24	arthroplasty single PIPJ and DIPJ mutiple same foot	4	0.0294%
6.25	arthroplasty two or more both PIPJ and DIPJ both feet	8	0.0588%
6.4	MPJ arthroplasty base of lesser digit partial excision (Stainsby pattern)	35	0.2573%
6.41	MPJ arthroplasty single toe same foot	10	0.0735%
6.42	MPJ arthroplasty single toe both feet	1	0.0074%
6.45	Phalangeal Akin (lesser digit closing wedge osteotomy)	247	1.8158%
6.5	WHOLE PHALANX EXCISION	9	0.0662%
6.51	Proximal phalanx single toe	5	0.0368%
6.54	Proximal phalanx more than one toe both feet	1	0.0074%
6.601	Distal phalanx single toe	3	0.0221%
6.61	Distal phalanx single toe both feet	1	0.0074%
6.71	Int phalanx single toe	8	0.0588%
6.72	Int phalanx single toe both feet	1	0.0074%
7	OSTEOTOMY FIRST METATARSAL SINGLE FOOT (Unspec.)	17	0.1250%
7.1	Chevron capital osteotomy	165	1.2130%
7.11	Chevron capital decompression (bone removed)	48	0.3529%
7.2	Scarf osteotomy midshaft with akin	1273	9.3582%
7.21	Scarf rotational osteotomy midshaft with Akin	1036	7.6160%
7.22	Scarf with no akin either accepted	22	0.1617%
7.23	Scarf transpositional no akin	162	1.1909%
7.24	Scarf rotational no akin	93	0.6837%
7.5	Reverdin (unspec.) osteotomy	2	0.0147%
7.53	Reverdin-L osteotomy	88	0.6469%
7.6	BILATERAL FIRST METATARSAL OSTEOTOMIES (unspec)	8	0.0588%
7.61	Use 7.6 Capital pattern non specified eleswhere	4	0.0294%
7.62	Removed as an option must select 7.2 for this procedure	59	0.4337%
7.63	Midshaft Scarf without Akin	35	0.2573%
7.64	Midshaft Scarf rotational with Akin	30	0.2205%
7.65	Midshaft Scarf rotational without Akin	8	0.0588%

Code	Name		
7.67	Mixed foot eg MCJ fusion, other foot capital osteotomy	10	0.0735%
8	HALLUX OSTEOTOMY of proximal or distal hallux (unspec.) single foot	16	0.1176%
8.1	Hallux wedge base proximal phalanx (transverse) Akin cortex unbreached	201	1.4776%
8.11	Hallux wedge base proximal phalanx (oblique pattern) cortex unbreached	7	0.0515%
8.12	hallux wedge base proximal phalanx transverse cortex breached both feet	5	0.0368%
8.2	shortening + rotation prox. phalanx thru cut (trapezoid) abduction reduced	7	0.0515%
8.3	Dorsal wedge base of hallux prox.phalanx Bonney-Kessel pattern	148	1.0880%
8.31	Dorsal wedge base of hallux prox.phalanx Bonney-Kessel pattern both feet	2	0.0147%
8.4	Distal phalanx wedge osteotomy hallux non breached single foot	4	0.0294%
9.11	Plantar calcaneal spur reduction open surgery reduction single	1	0.0074%
9.2	Retrocalcaneal exostectomy	28	0.2058%
9.21	Retrocalcaneal exostectomy both feet	2	0.0147%
10	CAPSULOTOMY LESSER MTPJ CLOSED	34	0.2499%
10.1	single lesser MTPJ	7	0.0515%
10.2	Multiple lesser MTPJ	1	0.0074%
11	CAPSULOTOMY FIRST MTPJ OPEN single foot	8	0.0588%
12	CAPSULOTOMY LESSER MTPJ OPEN	46	0.3382%
12.1	single lesser MTPJ	8	0.0588%
12.2	Multiple lesser MTPJ	3	0.0221%
13	LESSER METATARSAL HEAD dorsal bone exostectomy single	26	0.1911%
13.2	Leser metatarsal head more than one same foot	9	0.0662%
14	CHEILECTOMY FIRST RAY (unspec) distal or proximal	318	2.3377%
14.1	cheilectomy distal and proximal MTP Valenti type	36	0.2646%
14.2	cheilectomy dorsal metatarsal head only	104	0.7645%
14.21	cheilectomy dorsal metatarsal head both feet	2	0.0147%
14.3	cheilectomy dorsal proximal phalanx only	9	0.0662%
14.5	Medial exostectomy (Silvers pattern) first metatarsal	115	0.8454%
14.32	Cheilectomy lesser MTP joint	59	0.4337%
14.51	Medial exostectomy (Silvers pattern) both feet first metatarsal	3	0.0221%
14.6	Dorsal resection of base first metatarsal and medial cuneiform	9	0.0662%
16.0	ARTHROPLASTY first MTPJ base prox phalanx (Keller pattern)	149	1.0953%
16.1	ARTHROPLASTY First MTPJ (Keller pattern) both feet	1	0.0074%
17	LESSER METATARSALS (unspec)	4	0.0294%
17.1	lesser metatarsal includes 2-4 proximal displacement (PDO/Weil pattern) single metatarsal	147	1.0806%
17.11	lesser metatarsal includes 2-4 proximal displacement (PDO/Weil pattern) 2 or more metatarsals	89	0.6543%
17.12	lesser single both feet PDO	1	0.0074%
17.4	lesser metatarsal 2-4 (Oblique Giannestras pattern) single metatarsal	4	0.0294%
17.2	lesser metatarsal 2-4 (Schweil pattern) single metatarsal	27	0.1985%
17.21	lesser metatarsal 2-4 (Schweil pattern) 2 or more metatarsals same foot	1	0.0074%
17.24	lesser 2-4 Weil pattern with removal of bone section only to decompress sagittal plane	7	0.0515%
17.25	lesser 2-5 Weil pattern with angled removal of bone section only to decompress sagittal plane	7	0.0515%
17.32	lesser metatarsal 2-5 (Chevron pattern) single metatarsal both feet	1	0.0074%
17.4	lesser metatarsal Gauthier-Elbaz pattern V osty. For osteochondritis single	1	0.0074%

Code	Name		
17.51	lesser metatarsal (2-5) base osteotomy wedge / elevation single metatarsal	9	0.0662%
17.52	lesser metatarsal (2-5) base osteotomy wedge / elevation two metatarsals	1	0.0074%
17.6	lesser metatarsal 2-4 Swartz dorsal displacement single metatarsal	6	0.0441%
17.7	single metatarsal base osteotomy wedge/ met. Adductus correction	3	0.0221%
17.72	multiple osteomies more than 3 single foot	1	0.0074%
17.8	FIFTH METATARSAL OSTEOTOMIES TAILORS BUNIONNETTE / IMA	67	0.4925%
17.81	Excision of lateral head alone single	1	0.0074%
17.83	L-Osteotomy	9	0.0662%
17.84	Scarf (5th metatarsal)	49	0.3602%
17.86	base wedge osteotomy	11	0.0809%
17.9	FIFTH METATARSAL OSTEOTOMIES both feet sub category	1	0.0074%
17.94	Scarf (5th metatarsal)	6	0.0441%
18	COMBINATIONAL FIRST METATARSAL with lesser metatarsal(s) (unspec)	2	0.0147%
18.2	midshaft pattern with or without Akin and SINGLE lesser metatarsal	6	0.0441%
18.3	basal patternwith or without Akin and SINGLE lesser metatarsal	2	0.0147%
18.4	BILATERAL combined metatatarsal with other forefoot proc. Non specific	2	0.0147%
19	INJECTION JOINTS (Unspec) usually steroid (sodium hyaluronate accepted)	95	0.6984%
19.1	First MTP Joint single foot	106	0.7792%
19.11	First MTP Joint both feet	20	0.1470%
19.12	Lesser MTP Joint single joint	95	0.6984%
19.13	Lesser MTP Joint multiple joint same foot	40	0.2941%
19.14	Lesser MTP Joint single joint both feet	5	0.0368%
19.15	Lesser MTP Joint more than one joint both feet	3	0.0221%
19.2	MC Joint 1st	18	0.1323%
19.21	MC Joint 1st both feet	3	0.0221%
19.22	MC Joint 2nd	29	0.2132%
19.23	MC Joint 2nd both feet	3	0.0221%
19.24	MC Joint 3rd	12	0.0882%
19.3	Intermetatarsal facet 1/2	6	0.0441%
19.31	Intermetatarsal facet 1/2 both feet	3	0.0221%
19.32	Intermetatarsal facet 2/3	19	0.1397%
19.34	Intermetatarsal facet 3/4	33	0.2426%
19.35	Intermetatarsal facet 3/4 both feet	1	0.0074%
19.36	Intermetatarsal facet 4/5	1	0.0074%
19.4	Met-cuboid Joint	3	0.0221%
19.5	Talo-navicular Joint	10	0.0735%
19.51	Talo-navicular Joint both feet	1	0.0074%
19.6	Subtalar Joint (sinus tarsi)	31	0.2279%
19.61	Subtalar Joint (sinus tarsi) both feet	3	0.0221%
19.7	Talo-crural Joint Ankle Mortice	1	0.0074%
20.1	First MTPJ single foot	2	0.0147%
20.11	First MTPJ both feet	2	0.0147%
21	FASCIA SURGERY (unspec)	3	0.0221%
21.1	Fascia excision central section complete or partial	9	0.0662%

Code	Name		
21.4	fasciotomy division of fascia medial heel without optical guide	21	0.1544%
22	SKIN INCISION / EXCISION skin with ellipse and simple closure	187	1.3747%
22.1	excision of skin by punch biopsy	15	0.1103%
22.12	excision of skin by shave biopsy	2	0.0147%
22.2	cautery of skin single eg verruca or granuloma	27	0.1985%
22.21	cautery of skin more than three	2	0.0147%
22.3	cautery of skin single by chemical eg verruca	1	0.0074%
23	NEURECTOMY INTERDIGITAL / INTERMETATARSAL (Unspecified)	135	0.9924%
23.1	Neuroma dorsal approach	391	2.8744%
23.11	Neuroma plantar approach	19	0.1397%
23.12	Neuroma interdigital approach	4	0.0294%
23.13	Neuroma sulcus approach	3	0.0221%
23.14	Neuroma double dorsal id/im approach 2 spaces	92	0.6763%
23.15	Neuroma double dorsal id/im approach 2 spaces both feet	1	0.0074%
23.16	Neuroma dorsal id/im approach both feet	4	0.0294%
23.18	Joplin neuroma hallux	5	0.0368%
23.2	NERVE RELEASE OR DECOMPRESSION	2	0.0147%
23.21	Superficial medial nerve dorsal first MTPJ	1	0.0074%
23.25	tarsal tunnel release	2	0.0147%
24	OSTEOTRIPSY DIGITAL (spec.)	12	0.0882%
24.1	phalangeal head of toe single toe same foot	4	0.0294%
25	Osteotripsy bone reduction NON SPECIFIC Excludes calaneus	6	0.0441%
26.1	tendo achilles percutaneous	7	0.0515%
27	TENDON ACHILLES LENGTHENING (open)	2	0.0147%
27.1	z - division of TA	1	0.0074%
28	TENDON GASTROCNEMIUS (Open)	4	0.0294%
28.1	gastroc recession single	8	0.0588%
29	TENDON LENGTHENING (Unspec.) Small Tendons of foot	68	0.4999%
29.1	extensor tendon hallucis single	80	0.5881%
29.12	extensor tendon digitorum (longus or brevis or both) single	76	0.5587%
29.13	extensors 2-5 more than one	1	0.0074%
29.16	extensor tendon digitorum (longus or brevis or both) single both feet	5	0.0368%
29.2	TENOTOMY extensors (digital only) subcutaneous single	42	0.3088%
29.21	Tenotomy subcutaneous two or more but less than 4 see 29.22	13	0.0956%
29.22	Tenotomy subcutaneous where all 2-5 included	2	0.0147%
29.3	Tenotomy (OPEN) single extensor	28	0.2058%
29.31	Tenotomy open two extensors	4	0.0294%
29.32	Tenotomy open three extensors or more	1	0.0074%
29.4	Tenotomy decompression i.e midfoot or ankle tendons	4	0.0294%
29.5	TENDON TRANSFER (unspec)	6	0.0441%
29.51	Tendon transfer FDL	14	0.1029%
29.52	Tendon Flexor to Extensor in lesser toe	63	0.4631%
29.54	Tendon Kidner advancement	16	0.1176%
29.55	Tendon transfer Young's suspension	1	0.0074%

Code	Name		
29.56	Tendon transfer peroneal for ankle stabilization	8	0.0588%
29.57	Tendon hallux Jones suspension for trigger toe used without arthrodesis	2	0.0147%
30	NAIL SURGERY PHENOL (unspec) single	81	0.5955%
30.1	PARTIAL phenolisation ablation matricectomy single side	368	2.7053%
30.11	phenolisation and partial ablation matricectomy both sides same toe	328	2.4112%
30.12	phenolisation and partial ablation matricectomy two sides different toes	19	0.1397%
30.13	as above 30.12 but one side both hallux both feet	5	0.0368%
30.14	phenolisation more than two sides one foot	1	0.0074%
30.15	phenolisation more than two sides both feet	5	0.0368%
30.2	TOTAL NAIL AVULSION excision of whole nail by phenolisation single toe	344	2.5289%
30.21	excision of two nails by phenolisation same foot	5	0.0368%
30.22	excision of two nails by phenolisation both feet	21	0.1544%
30.23	excision of three nails or more by phenolisation same foot	1	0.0074%
30.24	excision of three nails or more by phenolisation both feet	1	0.0074%
30.3	Single AVULSION alone without nail destruction	44	0.3235%
30.31	avulsion of two nails only	10	0.0735%
30.32	avulsion of more than two nails only	1	0.0074%
31	PARTIAL NAIL EXCISION surgical unspec single side (Winograd pattern)	176	1.2938%
31.1	both sides hallux same foot	6	0.0441%
31.12	both sides both hallux	2	0.0147%
31.2	ZADIK MATRICECTOMY pattern whole nail hallux one foot	16	0.1176%
31.21	Zadik pattern whole nail both hallux	1	0.0074%
31.23	Zadik pattern whole nail more than one nail both feet	1	0.0074%
31.3	NAIL BED EXCISION with phalanx excision/skin retained part or whole hallux one foot	2	0.0147%
31.4	nail bed excision for lesser toe single as for hallux phalanx included	3	0.0221%
31.5	subungual exostectomy	25	0.1838%
31.51	subungual exostectomy single foot gt. Toe	38	0.2794%
31.51	subungual exostectomy gt toe both feet	2	0.0147%
32	EXCISION LESIONS UNDER SKIN (tumours)	12	0.0882%
32.1	Biopsy of subcutaneous tissue	35	0.2573%
32.2	excision lesion under skin small swelling eg inclusion body	33	0.2426%
32.21	excision subcutaneous swelling organised (not ganglion) discreet under 2cm	29	0.2132%
32.22	large extensive swelling across part or whole plantar foot greater than 2cm	4	0.0294%
32.23	removal of organised necrotic tissue with skin under 2cm	4	0.0294%
32.24	removal of organised necrotic tissue with skin under greater than 2cm	2	0.0147%
33	SKIN PLASTIC SURGERY (SKIN PLASTY / FLAPS / GRAFTS)	19	0.1397%
33.1	VY plasty over mtpj of toe single digit	14	0.1029%
33.12	Z lengthening over mtpj single toe	15	0.1103%
33.16	syndactylisation of toe	29	0.2132%
33.17	syndactylisation of toes, multiple	4	0.0294%
33.2	single lobed Schrudde flap (Rotational flap) any site on foot	3	0.0221%
33.23	Transpositional rectangular flap eg incision line excision repair	1	0.0074%
33.3	full thickness graft homogenous	1	0.0074%

Code	Name		
34	TENDON GRAFT (unspec)	7	0.0515%
34.1	posterior tibial tendon grafted with other tendon Do not repeat 29.51	3	0.0221%
47	HARDWARE REMOVAL screws, pins, wires and plates	338	2.4847%
47.1	staple	1	0.0074%
47.2	external K wire smooth	1	0.0074%
47.31	internal K wire smooth	23	0.1691%
47.31	internal K wire threaded design	21	0.1544%
47.41	Screw solid design partially threaded AO	39	0.2867%
47.42	screw solid design fully threaded AO	44	0.3235%
47.43	self tapping screw titanium eg M3X	10	0.0735%
47.44	screw cannulated	5	0.0368%
47.5	plate	4	0.0294%
48	ARTHROSCOPY	7	0.0515%
48.12	diagnostic and therapeutic Ankle	1	0.0074%
48.13	diagnostic and therapeutic STJ	1	0.0074%
49	METATARSAL HEAD EXCISION	15	0.1103%
49.11	more than one head resection	10	0.0735%
50	PROSTHETIC REPLACEMENT JOINT FIRST MTP	18	0.1323%
50.11	prosthetic joint single plastic	14	0.1029%
50.12	prosthetic joint double stem silastic Swanson pattern	76	0.5587%
50.13	prosthetic joint double stem silastic other pattern	15	0.1103%
50.14	prosthetic joint single plastic both feet	1	0.0074%
50.15	prosthetic joint double stem silastic Swanson pattern both feet	2	0.0147%
50.16	prosthetic joint double stem silastic other pattern both feet	1	0.0074%
50.4	PROSTHETIC SPACER IN MTP LESSER TOES	3	0.0221%
50.41	single MTPJ one foot	2	0.0147%
50.5	PROSTHETIC SPACER IN PIPJ LESSER TOES	3	0.0221%
50.53	multiple toes one foot	1	0.0074%
51	PROSTHETIC REMOVAL TOE JOINT prosthetic removal unspec.	2	0.0147%
51.1	removal silastic implant single first toe	5	0.0368%
51.2	removal of 2-part metal implant	1	0.0074%
51.21	removal of 2-part metal implant both feet first toe	1	0.0074%
51.4	removal of STA peg or other implant from STJ	2	0.0147%
52	Subtalar arthroeresis blocking operation for flat foot	2	0.0147%
52.1	MBA, Hyprocur or similar blocking operation for flat foot one foot	5	0.0368%
54	excision of ganglion	105	0.7719%
55	Excision lesion of tendon	4	0.0294%
54.1	Bursa excision	35	0.2573%
56	EXCISION OF BONE FRAGMENT (separated by fibrous material)	5	0.0368%
56.1	from first toe joint MTPJ	3	0.0221%
56.2	from midfoot	6	0.0441%
56.3	from STJ	1	0.0074%
56.4	from TCJ ankle joint (excluding arthroscopy)	1	0.0074%
57	EXCISION OF SESAMOID or ACCESSORY BONE	39	0.2867%

Code	Name		
57.1	ipj hallux	8	0.0588%
57.21	medial sesamoid first metatarsal	25	0.1838%
57.22	lateral sesamoid first metatarsal	13	0.0956%
57.23	both sesamoids first metatarsal	17	0.1250%
57.24	sesamoid shave	25	0.1838%
57.3	navicular	6	0.0441%
57.62	fibula ankle	1	0.0074%
58.1	Aspiration of joint first MTPJ	2	0.0147%
58.22	biopsy of joint synovium (synovectomy) first MTPJ	1	0.0074%
58.23	biopsy of joint synovium (synovectomy) lesser MTPJ	1	0.0074%
59	BONE LESION PATHOLOGY (NB histology intended)	1	0.0074%
59.1	excision of cyst with or without infil by currette Not SUEx.	50	0.3676%
59.2	simple osteophytic nibbling (exclude for large resection i.e cheilectomy 14)	24	0.1764%
59.3	needle biopsy of bone	1	0.0074%
59.4	small excision of bone in the foot up to size of phalanx	1	0.0074%
60	OPEN REDUCTION INTERNAL FRACTURE (ORIF)	25	0.1838%
60.1	stabilisation of fracture with percutaneous wire	1	0.0074%
61	REPAIR OF TENDON PRIMARY	11	0.0809%
62	CONVERSION TO FUSE JOINT WITH GRAFT	2	0.0147%
62.1	first MTPJ from osteotomy	1	0.0074%
62.2	first MTPJ from implanted prosthesis	9	0.0662%
62.3	first MTPJ from arthroplasty	1	0.0074%
63	CONVERSION TO MOBILISE FUSED JOINT	3	0.0221%
63.1	use of implant as secondary procedure for joint first MTPJ	1	0.0074%
64	OSTEOTOMY IN MIDFOOT	5	0.0368%
64.1	osteotomy of cuneiform	3	0.0221%
65	OSTEOTOMY OF CALCANEUS division of bone	9	0.0662%
65.1	Open wedge calcaneus Evans pattern	15	0.1103%
65.2	medial displacement	17	0.1250%
65.7	Dwyer varus reduction	2	0.0147%
66	HARVEST BONE GRAFT	29	0.2132%
67	REPAIR WITH BONE GRAFTING	6	0.0441%
68	WOUND MANAGEMENT	7	0.0515%
68.1	incision and drainage of surgical wound with or without packing	18	0.1323%
68.3	trim and excise wound edges with or without slough removal as above	2	0.0147%
68.3	drain ulcer specifically eg diabetic	11	0.0809%
68.4	incision and drainage of abscess	5	0.0368%
69	REPAIR OF CAPSULE OF JOINT FOR STABILIZATION	9	0.0662%
70	STEROID INJECTION (soft tissue) non specific	128	0.9410%
70.1	Single one foot	79	0.5808%
70.11	Multiple one foot	8	0.0588%
70.1	Single both feet	6	0.0441%
70.11	Multiple both feet	1	0.0074%
70.12	Intermetatarsal Space	14	0.1029%

Code	Name		
20.20	Needling dry injection technique	6	0.0441%
75.20	BILATERAL Combined digital with lesser metatarsal single	1	0.0074%
76	Manipulation under anaesthetic (unspec anaesthetic)	44	0.3235%
14.7	Dorsal exostectomy 2nd metatarsocuneiform joint one foot	1	0.0074%
Totals		13603	100.0000%

PASCOM: Invasive Fixations Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

Code	Name	Quantity : Count		Quantity : Average	
00	No Fixation	146	1.1676%	0.67	2.3438%
01	Staple	84	0.6718%	1.14	3.9907%
02	Wire external	1007	8.0534%	1.54	5.4132%
03	Wire: internal (not specified)	50	0.3999%	1.43	5.0224%
03.1	Wire: internal - threaded	1666	13.3237%	1.37	4.8326%
03.2	Wire: internal - smooth	513	4.1027%	1.34	4.7213%
04	Screw (not specified)	623	4.9824%	2.32	8.1422%
04.1	Screw - standard AO or equivalent	6338	50.6878%	2.45	8.5965%
04.2	Screw - self tapping	360	2.8791%	2.05	7.1911%
04.3	Screw - cannulated	1337	10.6926%	2.48	8.7206%
05	Joint replacement - not specified	21	0.1679%	1.00	3.5156%
05.1	Joint replacement - single part plastic	85	0.6798%	1.08	3.7827%
05.2	Joint replacement - two-part metal / plastic	5	0.0400%	1.25	4.3946%
06	Plate: standard design	153	1.2236%	1.01	3.5388%
06.1	Plate: locking design	59	0.4718%	1.05	3.7040%
07	Drain	13	0.1040%	1.08	3.8086%
08	Tissue anchor	29	0.2319%	1.00	3.5156%
09.1	Autograft	6	0.0480%	1.20	4.2188%
09.2	Allograft	1	0.0080%	1.00	3.5156%
10	Stent: STJ arthroeresis	5	0.0400%	1.00	3.5156%
11	bone wax	3	0.0240%	1.00	3.5156%
Totals		12504	100.0000%	28.44	100.0000%

PASCOM: Invasive Anaesthesia Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

Name		
Nil. No anaesthetic	2330	20.6085%
Local (e.g. digital)	2190	19.3702%
Local with sedative (e.g. digital)	140	1.2383%
Regional ankle	3946	34.9018%
Regional ankle with sedative	437	3.8652%
Regional ankle with general	483	4.2721%
Regional leg (eg popliteal)	626	5.5369%
Regional leg with sedative (eg popliteal)	76	0.6722%
Regional leg with general (eg popliteal)	71	0.6280%
General anaesthesia	239	2.1139%
General anaesthesia with local block	743	6.5717%
Spinal / epidural	25	0.2211%
Totals	11306	100.0000%

PASCOM: Invasive Demographics Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

	Male		Female	
0 - 4	10	0.1025%	45	0.4612%
5 - 9	2	0.0205%		
10 - 14	39	0.3997%	33	0.3382%
15 - 19	167	1.7114%	134	1.3732%
20 - 24	111	1.1375%	178	1.8241%
25 - 29	99	1.0146%	244	2.5005%
30 - 34	105	1.0760%	235	2.4083%
35 - 39	98	1.0043%	267	2.7362%
40 - 44	141	1.4450%	429	4.3964%
45 - 49	174	1.7832%	619	6.3435%
50 - 54	167	1.7114%	815	8.3521%
55 - 59	228	2.3365%	947	9.7049%
60 - 64	226	2.3160%	1,096	11.2318%
65 - 69	252	2.5825%	1,070	10.9654%
70 - 74	149	1.5270%	701	7.1838%
75 - 79	115	1.1785%	449	4.6014%
80 - 84	64	0.6559%	213	2.1828%
85 - 89	18	0.1845%	76	0.7788%
90 - 94	3	0.0307%	24	0.2460%
95+	4	0.0410%	11	0.1127%
Total	2,172	22.2587%	7,586	77.7413%

PASCOM: Invasive Post Treatment Sequellae Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of episodes with post-treatment events: 5684

Total number of treatments: 11306

Code	Name	Sequellae		Episodes	
NA	No observed sequella, a null result desired	4945	77.6417%	3407	59.9402%
CAL	Callus or IPK formation	24	0.3768%	23	0.4046%
FWR	Cannot wear shoes @ 3/12	5	0.0785%	5	0.0880%
ULCST	Cast induced ulceration	1	0.0157%	1	0.0176%
DVT	Deep vein thrombosis proven	10	0.1570%	8	0.1407%
DPRT	Digital periostitis	3	0.0471%	3	0.0528%
ENS	Entraped or stump nerve in/below incision	13	0.2041%	12	0.2111%
IMPL	Fixation problem: removal required	56	0.8793%	53	0.9324%
FXFR	Fixation problem: fracture of fixation, failure or implant rejection	20	0.3140%	16	0.2815%
HTM	Haematoma	13	0.2041%	13	0.2287%
AVN	Healing: Avascular necrosis	1	0.0157%	1	0.0176%
BUND	Healing: Bone union delay	20	0.3140%	17	0.2991%
SNEC	Healing: skin necrosis	2	0.0314%	2	0.0352%
DHC	Healing: wound dehiscence	118	1.8527%	106	1.8649%
SWB	Healing: ischaemia/necrosis	2	0.0314%	1	0.0176%
BKD	Healing: wound breakdown, surgery may be required	10	0.1570%	9	0.1583%
SCR	Healing: scar line hypertrophy may not be painful	70	1.0991%	70	1.2315%
IATG	Iatrogenic toe deformation following surgery e.g. hallux varus	21	0.3297%	21	0.3695%
INCL	Inclusion cyst	3	0.0471%	2	0.0352%
OML	Infection: Osteomyelitis	2	0.0314%	2	0.0352%
INF +	Infection: proven	46	0.7222%	46	0.8093%
INFS	Infection: suspected/not proven	166	2.6064%	161	2.8325%
LAF	Injection failed where primary anaesthetic	1	0.0157%	1	0.0176%
RxSE	Medication side effect	32	0.5024%	32	0.5630%
FMET	Metatarsal fracture	34	0.5338%	33	0.5806%
MPL	Motor power weak cannot activate muscle easily	6	0.0942%	6	0.1056%
NRG	Nail regrowth following surgery	14	0.2198%	13	0.2287%
PNSS	Pain: surgical site beyond six weeks	160	2.5122%	156	2.7445%
CRPS	Pain: Complex regional pain syndrome type I or II	13	0.2041%	11	0.1935%
RxP	Pain: excessive post treatment pain (first 72 hours)	46	0.7222%	46	0.8093%
JPS	Pain: Joint pain and stiffness	122	1.9155%	113	1.9880%
NCP	Patient non compliance	44	0.6908%	40	0.7037%

Code	Name	Sequellae		Episodes	
NPRAX	Post injection block pain worsens from level 2	1	0.0157%	1	0.0176%
PONV	Post operative nausea and vomiting (PONV)	14	0.2198%	14	0.2463%
TXI	Post surgery injection as separate treatment	4	0.0628%	4	0.0704%
PE	Pulmonary embolism	3	0.0471%	2	0.0352%
NS-0	Sensory loss small	24	0.3768%	22	0.3871%
SABR	Healing: stitch abcess or suture reaction	37	0.5809%	34	0.5982%
FTX	Surgery failed or reoccurence	79	1.2404%	76	1.3371%
OED	Swelling	100	1.5701%	95	1.6714%
TMET	Transfer metatarsalgia	84	1.3189%	80	1.4075%
Totals		6369	100.0000%		

PASCOM: Invasive PSQ10 Response Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

Q 2 Were the risks from the surgery explained?

Yes	4,788	97.9%
Not sure	48	1.0%
No	31	0.6%
Not stated	25	0.5%

Q 3 did you know what to do if you needed assistance?

Yes	4,715	96.4%
Not sure	62	1.3%
No	65	1.3%
Not stated	50	1.0%

Q 4 Did you have a problem after your operation?

No	3,514	71.8%
A minor problem	1,155	23.6%
A major problem	126	2.6%
Not stated	97	2.0%

Q4a If 'Yes' to Q4, what did you do?

Not applicable	3,611	73.8%
Waited	261	5.3%
Earlier appointment	505	10.3%
Called out podiatrist	14	0.3%
Verbal advice	183	3.7%
Went to A&E	78	1.6%
Other	208	4.3%
Not stated	32	0.7%

Q4c If 'Yes' to Q4, how was speed of response?

Not applicable	3,611	73.8%
Slow to respond	26	0.5%
Satisfactory	232	4.7%
Fast to respond	520	10.6%
Not stated	503	10.3%

Q4d If 'Yes' to Q4, how would you say your problem was dealt with?

Not applicable	3,611	73.8%
Poorly	26	0.5%
Cannot tell	92	1.9%
Satisfactorily	291	5.9%
Excellent	728	14.9%
Not stated	144	2.9%

Q 5 Was your pain medication adequate after surgery?

Ineffective	230	4.7%
Some discomfort	2,568	52.5%
Excellent	2,027	41.4%
Not stated	67	1.4%

Q 6 When could you get back in to your shoes?

By 2 weeks	996	20.4%
By 4 weeks	1,038	21.2%
By 6 weeks	1,144	23.4%
By 8 weeks	1,032	21.1%
By 12 weeks	148	3.0%
By 6 months	337	6.9%
After 6 months	113	2.3%
Not stated	84	1.7%

Q 7 Do you still have discomfort from your original foot condition

At rest	326	6.7%
When standing	174	3.6%
Standing long time	492	10.1%
Occasional twinge	2,033	41.6%
No discomfort	1,790	36.6%
Not stated	77	1.6%

Q8 How is your original problem?

Deteriorated	70	1.4%
A little worse	109	2.2%
The same	178	3.6%
Better	1,248	25.5%
Much better	3,221	65.8%
Not stated	66	1.3%

Q9 Would you have surgery again under the same conditions?

Yes	4,556	93.1%
No	220	4.5%
Not stated	116	2.4%

Q10 Were the original expectations that you stated at the beginning met?

Yes	4,171	85.3%
In part	523	10.7%
No	141	2.9%
Not stated	57	1.2%

No. of PSQ10 Events

4,892

Average Score

86.42

Standard Deviation

13.98

PASCOM: Invasive MOXFQ Report



The Society of
Chiropractors
and Podiatrists

Report Filter:

Date Range: All events between 01/01/2011 and 31/12/2011

Centres: All permitted centres: (186)

Clinicians: All permitted clinicians: (437)

Treatments: Any procedures

Total number of centres: 63

Total number of episodes: 9933

Total number of treatments: 11306

Total number of MOXFQ events: 7339 pre, 4562 post

	Episodes with only Pre-MOXFQ or Post-MOXFQ				Episodes with both Pre-MOXFQ and Post-MOXFQ			
	Pre-treatment		Post-treatment		Pre-treatment		Post-treatment	
Number of events	3,110		363		4,229		4,199	
	Average	Std. Dev.	Average	Std. Dev.	Average	Std. Dev.	Average	Std. Dev.
WS	53.49	26.32	23.23	26.68	53.10	25.48	18.78	24.61
SI	48.61	25.58	18.24	23.74	47.94	24.68	14.47	20.96
P	55.28	21.69	25.56	23.32	54.88	20.88	22.13	22.08